



# CLIMATE CHANGE ADAPTATION PROGRAM

## Evaluating the value of Voen Covers in Preventing Rain and Hail Damage

### Project Presentation

Funding for this project has been provided by the Governments of Canada and British Columbia through Growing Forward 2, a federal-provincial-territorial initiative. The program is delivered by the Investment Agriculture Foundation of BC.

Opinions expressed in this document are those of the author and not necessarily those of the Governments of Canada and British Columbia or the Investment Agriculture Foundation of BC. The Governments of Canada and British Columbia, and the Investment Agriculture Foundation of BC, and their directors, agents, employees, or contractors will not be liable for any claims, damages, or losses of any kind whatsoever arising out of the use of, or reliance upon, this information.

DELIVERED BY

FUNDING PROVIDED BY



# VENTED ORCHARD COVERS STUDY

## Protection against Rain and Hail



# Acknowledgments

Funding for this project has been provided in part by the Governments of Canada and of British Columbia through the Investment Agriculture Foundation of BC under *Growing Forward 2*, a federal-provincial-territorial initiative. The program is delivered by the BC Agriculture & Food Climate Action Initiative.

The Governments of Canada and of British Columbia are committed to working with industry partners. Opinions expressed in this document are those of the authors and not necessarily those of the Governments of Canada or British Columbia, ARDCorp or the Investment Agriculture Foundation.



Climate Action Initiative  
BC AGRICULTURE & FOOD



# VENTED ORCHARD COVERS

## Background

- Rain resulting in rot and splits, and hail damage can devastate a crop causing serious losses of yield
- Currently commercial cherry growers in the Okanagan Valley use a combination of wind machines, helicopters, tractor blowers, and rain protectant chemical products to defend against rain resulting in great expense, and pollution to the environment
- There is currently no defense against hail
- Covers are becoming a popular defense in Europe, Chile, and Australia where rainfalls are frequent

# VENTED ORCHARD COVERS

## Scope

- We set out to evaluate the positives and negatives of implementing covers to a commercial cherry operation in the Okanagan Valley, BC (Coral Beach Farms) over a period of 4 seasons
- The study was conducted on 11 acres of covered Sweet Cherries - mainly Rainier Cherries (Blush), Stardust Cherries (Blush), and some Sweetheart Cherries (Red)
- We compared this with the same varieties and acres outside of the covers directly adjacent



# VENTED ORCHARD COVERS

## Study Methods and Measures

- Comparisons were made with regards to:
  - Climate
  - Rain damage during rain event
  - Fruit firmness
  - Sugars (Brix)
  - Size of cherries
  - Yield of crop/acre
- Other considerations:
  - Cost effectiveness & value
  - Use of irrigation water



# VENTED ORCHARD COVERS

## Challenges and setbacks

- Reliance on changing summer students each season
- Resulting collected data was inconsistent in quality and measure
- Unexpected early harvest of 2015 resulted in little covers being up in time for rain event and subsequent abandonment of Crop under analysis. It also had some bud damage from winter
- 2014, and 2017 we had little to no rain events to study covers effectiveness

# VENTED ORCHARD COVERS

## Assumptions

### OBVIOUS BENEFIT:

- Practically eliminate risk of hail and rain damage

### POTENTIAL RISKS:


- Greenhouse effect – Overheating
- Reduce firmness
- Reduce shelf life
- Reduce quality and taste
- Not cost efficient
- Powdery Mildew issues



# VENTED ORCHARD COVERS

## Climate Comparisons


- Temperature
  - Ranged between 0.3°C and 3°C warmer under the covers



# VENTED ORCHARD COVERS

## Climate Comparisons

- Humidity
  - Typically ranged between 20-30% greater humidity under the covers



# VENTED ORCHARD COVERS

## Quality Analysis

- Sugars (Brix)
  - Uncovered fruit had on average slightly higher sugars 20.9% vs 19.8%
- Colour
  - Blush colour is moderately affected from reduced sunlight
- Firmness (Pa)
  - Covered cherries measured slightly less under pressure test than that of uncovered  
314 Pa vs 292 Pa
- Taste
  - Both uncovered and covered had the same high quality taste

# VENTED ORCHARD COVERS

## Pack out Analysis

- Yield
  - There was no noticeable increase in yields between covered and uncovered with both averaging 5 ton/acre and 76% grade #1
- Size of cherries
  - Uncovered cherries were on average smaller with 80% being 9.5 row or larger vs 90% with that of covered cherries
  - The exception to this was if there was a significant rain event then these results would be reversed

# VENTED ORCHARD COVERS

## Other Analysis

- Maturity Dates
  - Cherries under the cover tend to be 5-7 days ahead in maturity compared to uncovered
- Irrigation efficiency
  - As a result of increased humidity under the covers we were able to irrigate 30% less and maintain equal soil moisture compared to similar proximate fields

# VENTED ORCHARD COVERS

## Cost Analysis

- Capital Cost
  - \$25,500/acre
  - or annual cost of \$5100/acre spread over 5 years (Expected life of covers dependent on use and conditions)
- Annual Costs
  - \$3000/acre (install and winterize costs)
  - Plus \$3000/acre (summer pruning and rollout of Extenday tarps)
- Recommended minimum FOB Price Premium required to break even on investment with 5 ton yield and 76% packout
  - \$1.33/lb

# VENTED ORCHARD COVERS

## Summary of Analysis

- Reduced Bird Damage
- Improved size of cherries
- Reduced irrigation needs due to increased humidity
- It is hotter under the covers
- Potential to reduce or replace rain protection costs e.g. helicopter and tractor drying, chemical rain retardants such as Parka
- More environmentally friendly with reduced carbon footprint and less chemical use
- Covers do not 100% guarantee rain and hail protection. They do significantly reduce damage but side winds have allowed penetration in areas during our experience

# VENTED ORCHARD COVERS

## Summary of Analysis

- Bee Activity was increased beneath the covers
- Harvest was one week earlier (not particularly a benefit in our case)
- Stems appeared greener under the covers
- It is cost efficient when used with high value crops such as cherries which can range \$3 to \$7/LB variety and market dependent
- The use of covers needs to be trusted in order to not add further costs to production
- No signs of any Powdery Mildew issues

# VENTED ORCHARD COVERS

## Recommended Additional Practices

- Ventilation Management is useful to reduce temperatures under covers for pickers and for the cherries. Coral Beach uses wind machines.
- Extended reflective tarps and leaf pruning help to improve blush colour of cherries under covers

# VENTED ORCHARD COVERS

## Next Steps

- The findings in this study are preliminary and future work is required before industry recommendation
- Coral Beach will continue to experiment and try to evaluate the covers more
- Coral Beach's confidence has grown in the covers and they are currently investing in a further 12.5 acres of Voen covers in the Coldstream area. Another high altitude, northern area where high value crops are prone to splits from rain