



CLIMATE CHANGE ADAPTATION PROGRAM

Predicting Soil Water Content and Number of Workable Days Under Changing Climate Using DRAINMOD Model in Delta, BC

Funding for this project has been provided by the Governments of Canada and British Columbia through Growing Forward 2, a federal-provincial-territorial initiative. The program is delivered by the Investment Agriculture Foundation of BC.

Opinions expressed in this document are those of the author and not necessarily those of the Governments of Canada and British Columbia or the Investment Agriculture Foundation of BC. The Governments of Canada and British Columbia, and the Investment Agriculture Foundation of BC, and their directors, agents, employees, or contractors will not be liable for any claims, damages, or losses of any kind whatsoever arising out of the use of, or reliance upon, this information.

DELIVERED BY

FUNDING PROVIDED BY





Farm Adaptation Innovator Program

Predicting Soil Water Content and Number of Workable Days Under Changing Climate Using DRAINMOD Model in Delta, BC

Siddhartho Paul¹, Katie Neufeld², Sean Smukler³



Geographic Applicability

This study was conducted in Delta; findings should be applied only to locations with humid maritime climate and poorly drained, silty soils

Commodity Relevance

This study was conducted on blueberry and vegetable crop fields but findings may also be applied to other crops

Time Frame

Fall 2015 – Spring 2017

¹ PhD Student, Faculty of Land and Food Systems, University of British Columbia, Vancouver

² Research Coordinator, UBC

³ Assistant Professor, UBC

Background

Rainfall irregularity and extremes pose a critical challenge for farmers. Installing sub-surface drainage can be an effective means of reducing excess water from the soil caused by rainfall during critical periods of field operations. In places like Delta, BC, drainage is particularly important in the production shoulder seasons: in the spring during field preparation and in the fall during harvest. While tile drains are known to be effective for improving the number of days, days when the soil is dry enough to be workable without heavy equipment causing compaction, it is unclear if current spacing recommendations are likely to be effective if rainfall increases according to climate change projections for the region. DRAINMOD is a computer model designed to simulate the hydrology of farm fields, and can predict the effects of drainage management. In this study DRAINMOD was used to forecast soil water content to explore various drainage spacing options under current and future climate scenarios.

Study Objectives

- Simulate DRAINMOD model for various drainage spacings with rainfall for 2016 and 2030
- Predict daily volumetric soil water content (%) for each drainage spacing option and quantify number of workable days in 2016 and 2030




Figure 2. DRAINMOD-Modeled Volumetric Water Content (VWC %) in 2016 and 2030 for 15ft drainage treatment

Results

- DRAINMOD simulations predict that the volumetric water content (%) of the soil increases with the change in precipitation in 2030 for all drainage treatments as compared to the water content in 2016 (Figure 1).
- The number of workable days substantially increases with drains spaced more closely together. The modeling results also highlight how changing rainfall patterns in 2030 may substantially reduce the number of workable days compared to 2016 (Figure 2).
- Fields with drains at 15 ft spacing are predicted to gain 49% more workable days compared to fields without drainage in 2016.
- For the expected rainfall patterns of 2030, the gain from 15 ft drains would be a 64% increase in the number of workable days compared to fields without drainage.
- Reducing drain spacing from 30 to 15 ft is predicted to result in a 6% increase in workable days in 2016 and a 13% increase in 2030.

Definitions

volumetric water content: a measure of soil moisture determined by the ratio of water volume to soil volume




Figure 1. Workable days predicted for 2016 and 2030 for various drainage spacing options

For more information:

For more details on the results of this project visit the Climate Action Initiative website:
<http://www.bcagclimateaction.ca/faip-project/fi13/>

and the Sustainable Agricultural Landscapes Lab:
<http://sal-lab.landfood.ubc.ca/projects/delta-drainage-project/>

For more information on drainage management visit the BC Ministry of Agriculture website:
<http://www2.gov.bc.ca/gov/content/industry/agriculture-seafood/agricultural-land-and->

Funding for this project has been provided in part by:



Climate Action Initiative
BC AGRICULTURE & FOOD

